Chipset Driver Installation Guide

Version: V8.3.0.1013 Update: 20090922

Trademarks

Some of the product names mentioned herein are used for identification purposes only and may be trademarks and/or registered trademarks of their respective owners.

Revision History:

| Version | Date | Description |
|-------------|-----------|-------------|
| V8.3.0.1013 | Aug, 2009 | release |

Remark:

The below installation procedure is based on the version v8.3.0.1013 and using Windows XP as an example, the installation procedure might slightly differ depending on the OS installed.

Driver Installation Procedure

Driver list

Insert the Driver CD into your CD driver prior connected to the system then follow the installation instructions in the Setup Wizard. Detail instruction as below:

1. You can find the drivers menu in the attached driver CD, please click the <Win2K,XP> in the <Chipset> section. The procedure might slightly differ depending on the OS installed.

| herbea | e Function | OS | Note |
|--------|---|---------------------------------|------------------------------|
| | Chipset | Windows | Enstallation Guide |
| | Indi GATA ALCI | Mindows driver | |
| | | Win2K, XP | Enstallation Guide |
| | VGA | Win2K, XP | Use for CRT output only |
| | | <u>Vista</u> | |
| | | Linux | |
| | Audio | Win2K, XP, 2003 | ZInstallation Guide |
| | Realtek HD Codec | Vista | |
| | | Linux | |
| | Windows XP update | Dual Core CPU | |
| | Touch Screen suto detect (install program Lise for | Chipset | |
| | ELO POS Touch POS Touch POS Touch+HD POS Touch+HD | Windows | Read Me |
| | Touch Corpor | DOS | |
| | Touch Screen | Mindows | v463 |
| | ELO Touch | Williams | Enstallation Guide |
| | Sector Sector Sector Sector | WindowsVAlpha | v481 (alpha driver) |
| Tou | Touch Screen | DOS | |
| | a text soft | Mindowo | The station of the |
| | POSTouch | Lines | Zainstallation Guide |
| | DOLE 1000Mb L 4N | | |
| Mini P | PCPE TOODWD LAN | Min9X ME 2K XP | Installation Quide |
| | Realtek RTL8111 | Vista | Instantation ounde |
| | | Linux | |
| | Mini PCI-E IEEE802.11b/g/n Wireless LAN | Win2K, XP | |
| | • 10(\$32] | Vista | |
| | • <u>WS33N</u> | WinXP 64bit | |
| BIO: | | Vista 64bit | |
| | BIOS flash utility | DOS | |
| | Hardware Monitor | Windows | |
| | | DOS | With C language source code |
| | Watch Dog Timer (WDT) demo tool | Windows | With VB language source code |
| 0 | Oracle Description and the Bandard of Mite | Programming guide | Mith C language source ands |
| | (use I/O port 0x48C) | Windows | with changuage source code |
| | Finger Print Module | SDK for Windows and Linux | |
| | | SDK IN WINDOWS AND LINDA | |
| | • U4500 | Demo and Test program (Windows) | Installation and User Guide |
| | Magnetic Card Reader | | |
| | | Mindows | L Hiliby |
| | S64 series | | o unity |
| | Magnetic Card Reader | | |
| | inagrene oare neador | | 1 141114 |
| | IDMB series | windows | ounty |
| | D07202 povice 20t2 VED Outbourse Disates | | |
| | F07303 Series 20"2 VFD Customer Display | | [agaa] |
| | Demo tool | DOS Zuser's manua | Buser's manual V1.7 |
| | Dottopo | | |
| | PU7303 series 20*2 VFD Customer Display | Win98, ME, 2K, XP, 2003 | |
| | USB driver | Vista | |
| | | Linux | |

2

2. After enter the Chipset menu, you will see v8.3.0.1013, double click on the folder <v8.3.0.1013>.



3. Double click to run <infinst_autol_v8.3.0.1013.exe>.



4. Files are extracting.



5. Click <Next> button to the Setup Program.



6. Click <Yes> button to accept the License Agreement.



7. Click <Next> button.



8. Click <Finish> to complete the Setup.

